Printing date 09/03/2020 Reviewed on 09/03/2020

1 Identification

- · Product identifier
- · Trade name: Fascrete HC
- · Article number: FC-HC
- · Application of the substance / the mixture Concrete/Mortar admixtures
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Phoscrete Corporation

265 S. Federal Hwy, Suite 320

Deerfield Beach, Florida 33441

U.S.A.

- · Information department: product safety department
- · Emergency telephone number: +1 561-420-0595

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

May cause cancer.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

cristobalite

Quartz (SiO2)

· Hazard statements

May cause cancer.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

(Contd. on page 2)

Printing date 09/03/2020 Reviewed on 09/03/2020

Trade name: Fascrete HC

· HMIS-ratings (scale 0 - 4)

(Contd. of page 1)



- · Other hazards
- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable. · *vPvB*: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
1309-48-4	magnesium oxide	2.5-5%
14464-46-1	cristobalite	≤ 2.5%
14808-60-7	Quartz (SiO2)	≤ 2.5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

No dangerous substances are released.

(Contd. on page 3)

Printing date 09/03/2020 Reviewed on 09/03/2020

Trade name: Fascrete HC

(Contd. of page 2)

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

0 111	•, 1 ,1 ,	• •, •	, ,1 1 1
· Components with li	mit valuos that ro	auire manitaring	at the workniace.
Components with the	mu rancs mai rc	quill monitioning	at the workplace.

1309-48-4 magnesium oxide

PEL	Long-term value: 15* mg/m³ fume; *total particulate
TLV	Long-term value: 10* mg/m³ *as inhalable fraction

14464-46-1 cristobalite

DEL	1/ .1 .	C	1. 1 .	.1 .4	C 1	C	O
PEL	⅓ value	from res	spirable	aust	Iormui	ae ior	Ouartz

REL Long-term value: 0.05* mg/m³

*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025* mg/m³ *as respirable fraction

14808-60-7 Quartz (SiO2)

PFI	see Ouartz	listing

REL Long-term value: 0.05* mg/m³

*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025* mg/m³

*as respirable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

(Contd. on page 4)

Printing date 09/03/2020 Reviewed on 09/03/2020

Trade name: Fascrete HC

(Contd. of page 3)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid

Color: According to product specification

· Odor: Characteristic · Odor threshold: Not determined. · pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not determined.

· Ignition temperature:

Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

Product does not present an explosion hazard. · Danger of explosion:

Undetermined.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapor pressure: Not applicable.

(Contd. on page 5)

Printing date 09/03/2020 Reviewed on 09/03/2020

Trade name: Fascrete HC

		(Contd. of page
Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	80.7 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

Curcinogen	a cuicgories	
· IARC (Inter	rnational Agency for Research on Cancer)	
7631-86-9	silicon dioxide 3	
14464-46-1	cristobalite 1	
14808-60-7	Quartz (SiO2)	
· NTP (National Toxicology Program)		
14464-46-1	cristobalite	
14808-60-7	Quartz (SiO2) K	
	(Contd. on page 6	

US

Printing date 09/03/2020 Reviewed on 09/03/2020

Trade name: Fascrete HC

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, ADN, IMDG, IATA	None
UN proper shipping name	
DOT, ADR, ADN, IMDG, IATA	None
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
Class	None
Packing group	
DOT, ADR, IMDG, IATA	None
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of	r
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

(Contd. on page 7)

Printing date 09/03/2020 Reviewed on 09/03/2020

Trade name: Fascrete HC

(Contd. of page 6)

· UN ''Model Regulation'':

None

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

92704-41-1 Kaolin, calcined

1302-93-8 Calcined Bauxitic Kaolin

1309-48-4 magnesium oxide

7631-86-9 silicon dioxide

14464-46-1 cristobalite

14808-60-7 Quartz (SiO2)

· Proposition 65

· Chemicals known to cause cancer:

14464-46-1 cristobalite

14808-60-7 Quartz (SiO2)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

1309-48-4	magnesium oxide	A4
14464-46-1	cristobalite	A2
14808-60-7	Quartz (SiO2)	A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

14464-46-1 cristobalite

14808-60-7 Quartz (SiO2)

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

Printing date 09/03/2020 Reviewed on 09/03/2020

Trade name: Fascrete HC

· Hazard pictograms

(Contd. of page 7)



· Signal word Danger

· Hazard-determining components of labeling:

cristobalite

Quartz (SiO2)

· Hazard statements

May cause cancer.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact: Mr. Brian Mintz safety@phoscrete.com +1 561-420-0595
- · Date of preparation / last revision 09/03/2020 / -
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Europese overeenkomst betreffende het internationale vervoer van gevaarlijke goederen over de weg

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit (Contd. on page 9)

Printing date 09/03/2020 Reviewed on 09/03/2020

Trade name: Fascrete HC

REL: Recommended Exposure Limit Carc. 1A: Carcinogenicity – Category 1A

(Contd. of page 8)